

PRODUCT OVERVIEW



G-CLASS AIR-COOLED CHILLERS

AD Design Series



SMARTD

GLOBAL #1 IN OIL-FREE CHILLERS

G-Class Air-Cooled Chillers

Smardt's G-Class of chillers is distinguished by its use of environmentally-friendly refrigerants boasting ultra-low GWP ratings. Smardt's G-Class Air-Cooled AD Design Series Chillers are equipped with Turbocor's TGS oil-free magnetic bearing compressors. G-Class AD Design Series Chillers are available from 30 to 520 TR (105 to 1830 kW) and can be supplied in multiple configurations, which Smardt can customize per the requirements of your application.



A Smardt G-Class AD series chiller

G-Class AD Design Series

Smardt has brought its extensive experience in oil-free chiller development, sales and service into designing the G-Class — a range of air-cooled chillers that deliver the highest level of reliability, outstanding efficiency and the lowest total cost of ownership.

G-Class chillers offer valuable benefits to owners and operators, such as ease of installation, simple streamlined operation and maintenance, and lower lifetime operating and maintenance costs. These advantages are the hallmark of Smardt chillers.

Oil-Free Operation

Smardt oil-free centrifugal chillers use magnetic bearings and a variable-speed drive to deliver IPLV efficiencies that far surpass those of conventional oil-lubricated centrifugal, reciprocating, scroll and screw chillers.

Smardt utilizes totally oil-free Turbocor compressor technology, achieving the highest part-load efficiencies for our chillers and chilled water systems (including water-, air- and evaporatively-cooled applications).

Proprietary magnetic bearings replace conventional oil-lubricated bearings. This eliminates the high friction losses, mechanical wear, and the higher-maintenance oil management systems that are inherent with conventional compressor designs.

Turbocor's primary moving part (the rotor shaft and impellers) is levitated during rotation by a digitally controlled magnetic bearing system. Position sensors at each magnetic bearing provide real-time feedback to the bearing control system, 120 times each revolution, ensuring constantly centered rotation.

The result is oil-free operation that delivers significant chiller energy savings compared with standard chillers, and provides an extended service life without the efficiency decrease seen in oil-based systems.

Global Number One


Smardt is the industry leader in oil-free centrifugal chillers. Smardt pioneered oil-free centrifugal compressor technology to provide plant owners and operators a line of chillers that broke through industry norms of lifetime performance, energy conservation (reducing operating expenses), streamlined maintenance, and ease of operation.

Since our first oil-free centrifugal chiller in 2002, more than 10,000 Smardt chillers, ranging from 60 TR up to 3200 TR, are now saving money, energy and CO₂ emissions across the globe.

G-Class Air-Cooled Chillers, AD Design Series



G-Class Air-Cooled Chillers, AD Design Series



Side and front views of a Smardt G-Class AD Design Series chiller

Commitment to Environment

Smardt's commitment to the environment is fundamental to our chiller engineering and design, and is manifest in our company and in our products. Smardt played a vital role in the innovation and development of oil-free compressor technology, and we engineered chillers that leveraged that oil-free technology. We develop true optimization systems that enable plants to operate in the most energy-efficient and effective manner possible. And Smardt's environmental commitment extends to supporting evolving refrigerant policies across the globe.

Turbocor TGS Compressor

The TGS is from Turbocor's "green" range of compressors, so-named because they use next-generation refrigerants. The TGS can operate with R1234ze (GWP <1), and R515B (GWP is 299).*

Smardt's G-Class chillers can be equipped with up to four Turbocor TGS oil-free compressors. VFDs are built-in, and drives are internal to the machine. As with all oil-free compressors, the TGS features reduced vibration and quiet operation (up to 8dBA lower than screw



TGS Compressor

compressors) — ideal for noise-sensitive applications.

Extended Service Life

The G-Class chiller is designed for a service life of 25 years.

Chiller Options

Options for Smardt's G-Class AD include our integrated pump packages, economizer, thermosyphon free cooling, Smardt Lift, and Smardt Restart.

Smardt Lift enables chiller operation at full load with enhanced efficiencies when supplying chilled water at temperatures that are close to the ambient temperature. This is extremely beneficial in both high temperature chilled water applications or in seasonal operation when the ambient temperature is similar to the design chilled water conditions.

Smardt Restart ensures that in the event of a power failure, your Smardt chiller is back on line as quickly as 20 seconds. Chilled water supply for critical applications is not impacted by intermittent power loss, eliminating the need for additional thermal storage. The start-up mode includes additional motor and surge protection.

Applications

Energy conscious plant owners and operators want optimized performance with savings over the life of the chiller. Smardt's G-Class AD series chillers

support critical-load applications in a variety of markets, including commercial, data center, pharmaceutical, hospital, higher education, district cooling, hotels, malls, and manufacturing.

Highlights

- Uses environmentally-friendly refrigerants having low-GWP ratings.
- Class leading part-load efficiencies, achieving optimum IPLV in total capacity range.
- Typically smaller footprint than chillers of comparable capacity.
- Advanced corrosion protection on critical operating surface areas for base frame and coils.
- Quiet ECM fans on all units.
- Adaptable by design - a base range with options to suit any air-cooled application.
- Smardt's robust casing protects the condenser coils from the elements.
- Responsive chilled water control under all conditions.
- Inbuilt redundancy with multiple compressors.
- Designed for ease of maintenance and serviceability, featuring field-serviceable compressors.
- Smardt quality, acceptance tested and pre-commissioned prior to delivery, ensuring trouble-free commissioning and startup ensuring trouble-free commissioning and start-up on every project.


*Smardt G-Class air-cooled chillers can use R1234ze, R515B, or R513A refrigerants. R513A requires the Danfoss Turbocor TTS compressor.

G-Class Air-Cooled Chillers, AD Design Series

Smardt's G-Class Air-Cooled Chillers, AD Design Series with full-load capacities of units with R1234ze refrigerant, range from 30 to 520 TR (105 to 1830 kW)

Representative Models


Smardt can customize your G-Class AD Design Series chiller to meet your project's needs and specifications. The models included in this capacity chart are considered representative of the G-Class AD Design Series, but selection is not limited to these specific models or refrigerants. Your Smardt representative can provide capacity data for your project.



Note: Available cooling capacity will vary with operating conditions and chiller configuration. Capacities shown are based on standard AHRI conditions.

G-Class Air-Cooled Chillers, AD Design Series

Model Number Nomenclature



Global reach, single focus

Smardt is both the pioneer and world-leader in oil-free centrifugal chillers, with production facilities in Canada (Montreal area), Australia (Melbourne area), United States (Plattsburgh, New York), Germany (Stuttgart area), and China (Guangzhou and Nanjing).

Smardt service networks extend across the globe to monitor and support the world's largest installed base of oil-free high-efficiency chillers, with more than 10000 chillers installed globally.



AMERICAS

Canada

Smardt Chiller Group Inc.
1800 Trans-Canada Highway
Dorval, Quebec H9P1H7
T +1 514 426 8989
E sales.na@smardt.com

USA

Smardt Chillers Inc.
22 Colorado Street, Bldg 2815
Plattsburgh, NY 12903
T +1 518 324 5741
E sales.na@smardt.com

Brazil

Mecalor Solutions (licensed partner)
Rua da Bandeira, 219-Novo Mundo Park
São Paulo, Brazil
T +55 11 2188 1700
E vendas@mecalor.com

ASIA PACIFIC

Australia

Smardt Chiller Pty Ltd
144 Colchester Road
Bayswater North VIC 3153
T +61 3 9761 7905
E sales.au@smardt.com

China

Guangzhou Smardt Chillers Manufacturing Co. Ltd
Mei Xing Industrial Park
No. 30 Dong Zhong Road ETDD
Guangzhou
T +86 20 8205 7161
E sales.cn@smardt.com

Guangzhou Smardt Chillers Manufacturing Co. Ltd, Nanjing Branch No. 2,
Hengxiang Road, Qixia Economic and Technological Development Zone,
Nanjing, China
T +86 25 8532 6977
E sales.cn@smardt.com

TICA Smardt Hong Kong Ltd
11/F, The Bedford, 91-93 Bedford Road
Tai Kok Tsui, Kowloon, Hong Kong
T +852 2772 8448
E hk.info@smardt.com

Singapore

Smardt Chillers Pte Ltd
438A Alexandra Road #08-11
Alexandra Technopark 119967
T +65 6273 1120
E sales.as@smardt.com

EMEA

Germany

Smardt-OPK Chillers AG
Bahnhofstraße 74
D73240 Wendlingen
T +49 7024 79429 0
E sales.eu@smardt.com
www.opk.de

United Kingdom

Smardt Chiller UK
10A Burrell Way, Thetford,
Norfolk IP24 3RW
T +44 1842 824830
E sales.uk@smardt.com



www.smardt.com

Smardt has exercised its best efforts to ensure that the information contained in this document is correct at time of printing. However, no warranty, reliability or accuracy is given with respect to the information contained herein, and Smardt is not and shall not be responsible for any error or omission, or liable for the correctness or suitability of the information given. All brand names and product names used in this manual are trademarks, registered trademarks, or trade names of their respective holders.
© 2022, Smardt Chiller Group Inc. All rights reserved. 04/2022